




اختيارك الأول للحديد الصناعي والبناء

Your first choice for industrial and construction iron



هدفنا الأساسي هو أن نكون دولة نموذجية ورائدة في جميع المجالات وسأعمل معكم لتحقيق هذا المسعى

الملك سلمان بن عبدالعزيز

MY PRIMARY GOAL IS TO BE AN EXEMPLARY AND LEADING NATION IN ALL ASPECTS, AND I WILL WORK WITH YOU IN ACHIEVING THIS ENDEAVOUR

King Salman bin Abdulaziz



يسرني أن أقدم لكم رؤية المملكة العربية السعودية للمستقبل. إنها خطة طموحة وقابلة للتحقيق تعبر عن أهدافنا وتطلعاتنا طويلة المدى وتعكس مكان القوة والقدرات في بلادنا. تبدأ كل قصة نجاح برؤية وتقوم الرؤية الناجحة على ركائز قوية.

الأمير محمد بن سلمان

IT IS MY PLEASURE TO PRESENT SAUDI ARABIA'S VISION FOR THE FUTURE. IT IS AN AMBITIOUS YET ACHIEVABLE BLUEPRINT, WHICH EXPRESSES OUR LONG-TERM GOALS AND EXPECTATIONS AND REFLECTS OUR COUNTRY'S STRENGTHS AND CAPABILITIES. ALL SUCCESS STORIES START WITH A VISION, AND SUCCESSFUL VISIONS ARE BASED ON STRONG PILLARS.

Prince Muhammad bin Salman



Alabuo Trading Company is a leading supplier of high-quality steel products, catering to a diverse range of industries worldwide. With a strong focus on reliability, customer satisfaction, and innovative solutions, we have established ourselves as a trusted partner in the steel trading industry. Our extensive product portfolio, coupled with a dedicated team of professionals, ensures that we meet the unique needs of each client with precision and excellence.

شركة العبو للتجارة هي مورد رائد لمنتجات الصلب عالية الجودة، تلبي احتياجات مجموعة متنوعة من الصناعات حول العالم وتركيزنا القوي على الموثوقية ورضا العملاء والحلول المبتكرة، رسنا مكاننا كشريك موثوق في قطاع تجارة الصلب. تضمن محفظة منتجاتنا الواسعة، إلى جانب فريقنا المتخصص من المحترفين، تلبية الاحتياجات الفريدة لكل عميل بدقة وكفاءة عاليتين.

Our Code الكود الخاص بنا

Integrity:

We conduct our business with honesty and transparency, building trust with our clients and partners through every transaction.

النزاهة: ندير أعمالنا بأمانة وشفافية، ونبنى الثقة مع عملائنا وشركائنا من خلال كل معاملة

Quality:

We supply only top-grade steel products, ensuring consistent reliability and performance for our customers' projects.

الجودة: نحن نوفر فقط منتجات فولاذية عالية الجودة، مما يضمن موثوقية وأداء ثابتين لمشاريع عملائنا

Customer Focus:

We prioritize our customers' needs, providing personalized service and tailored solutions to help them succeed.

التركيز على العملاء: نحن نولي احتياجات عملائنا الأولوية، ونقدم خدمة شخصية وحلولاً مصممة خصيصاً لمساعدتهم على النجاح

Innovation:

We stay ahead of industry trends, continuously improving our offerings and processes to deliver cutting-edge solutions.

الإبداع: نحن نواكب اتجاهات الصناعة، ونعمل باستمرار على تحسين عروضنا وعملياتنا لتقديم حلول متطورة



أحمد حسين العبو
AHMED H. ALABUO
Chairman

مجلس الإدارة
Board of Directors

عبد الكافي حسين العبو
ABDULKAFI H. ALABUO

المدير التنفيذي
CEO

الأقسام
Sections

محمد حسين العبو
MOHAMMED H. ALABUO

المدير العام
GM

عيسى حسين العبو
ISSA H. ALABUO

المدير العام
GM

التسويق
Marketing

المشتريات
Purchases

الإداريين
Administration

المبيعات
Sales




المستودع
Warehouse

المبيعات
الدولية


International
Sales

Local
Sales

المبيعات
المحلية


	BRIDGES	6	الجسور
	PIPES & TUBES	7	الأنابيب والمواسير
	LONG PRODUCTS	8	المنتجات الطويلة
	FLAT PRODUCTS	9	المنتجات المسطحة
	GI, PPGI & STAINLESS STEEL	10	الصلب المقاوم للصدأ
	STEEL GRATING	11	صريف الصلب
	METAL DECKING	12	التزيين المعدني
	CORRUGATED SHEET	13	صفائح مموجة
	Z&C CHANEL	14	Z,C قنوات
	LASER CUT MATERIELS	15	المواد المقطوعة
	BUILDING ACCESORIES	16-17	مسلزمات البناء
	PERFORATED METAL SHEET	18-19	صفحة معدنية
	SHOT BLASTING	20	التفجير بالرصاص

IPE 160




Standard Length	: 12 m
Custom Lengths From	: 2.5 to 24 m
Quantity Per Bundle	: 10 Pieces
Production Tolerance	: $\pm 2.5\%$ Only
Weight Per Piece	: 189.6 Kg

IPE A 160




Standard Length	: 12 m
Custom Lengths From	: 2.5 to 24 m
Quantity Per Bundle	: 10 Pieces
Production Tolerance	: $\pm 2.5\%$ Only
Weight Per Piece	: 152.4 Kg

IPE AA 160




Standard Length	: 12 m
Custom Lengths From	: 2.5 to 24 m
Quantity Per Bundle	: 10 Pieces
Production Tolerance	: $\pm 2.5\%$ Only
Weight Per Piece	: 147.6 Kg




Standard Length	: 12 m
Custom Lengths From	: 2.5 to 24 m
Quantity Per Bundle	: 20 Pieces
For 12 mm	: 24 Pieces

JIS 248x124




Standard Length	: 12 m
Custom Lengths From	: 2.5 to 24 m
Quantity Per Bundle	: 10 Pieces
Production Tolerance	: $\pm 2.5\%$ Only
Weight Per Piece	: 301.2 Kg

IPE 200




Standard Length	: 12 m
Custom Lengths From	: 2.5 to 24 m
Quantity Per Bundle	: 10 Pieces
Production Tolerance	: $\pm 2.5\%$ Only
Weight Per Piece	: 268.8 Kg


IPE AA 200



Standard Length	: 12 m
Custom Lengths From	: 2.5 to 24 m
Quantity Per Bundle	: 10 Pieces
Production Tolerance	: $\pm 2.5\%$ Only
Weight Per Piece	: 216 Kg



Production Tolerance	: $\pm 2.5\%$ Only
Weight Per Piece	: 213.6 Kg.
For 12 mm	: 180.6 Kg.



Black & Hot Dipped Galvanized Steel Pipes

Type	Hot-Dip Galvanized
Size range	1/2" to 24"
Standard	EN 10225 : 2004, ASTM A53 Gr. A SCH 40, ASTM A53 Gr. B SCH 40

Seamless Pipes

Type	Mild Steel Pipes
Size range	range 1/2" to 12"
Standard	ASTM A106/ ASTM A53 Gr. B SCH 40

MS Square Hollow Sections

Type	Cold Formed Welded Square Tubes range 19 mm x 19 mm to
Size	400 mm x 400 mm S235 JRH/ S275 JOH/ S275 J2H/ S355
Standard	JOH/ S335 J2H

Type	Cold Formed Welded Square Tubes
Size range	range 40 mm x 20 mm to 500 mm x 300 mm
Standard	S235 JRH/ S275 JOH/ S275 J2H/ S355 JOH/ S335 J2H



Beams

Type : Universal Beams (UB) Size range
: 127x76x13 To 1016x305x487 Material :
S275JR S355JR, S235jr, S235jo Standard :
BS EN 10025

Type : Universal Columns (UC)
Size range : 152x152x23 To 356x406x634
Material : S275JR S355JR, S235jr, S235jo
Standard : BS EN 10025

Type : American Wide Flange Beams
Size range : 4 x 4 To 44 x 16 Material : ASTM A992
, ASTM A572 GR50 , ASTM A36 Standard : AISC,
ASTM

Type : JIS Wide Flange Beams
Size range : H-section 100x100 To 900x300 I-section
100 X 50 To 600 X 200
Material : SS400 ,SS540, S275JR, S355JR
Standard : JIS G 3101 , JIS G 3192

Type : European Beams
Size range : H-section HE AA 100 To HE B
900 I-section IPE AA 100 To IPE 750 Material
: S275JR S355JR, S235jr, S235jo Standard : EN
10365 , BS EN 10025

Channels

Type
Size range
Standard
Type
Size range
Standard
JIS Size : 50 mm x 25 mm to 380 mm x 100 mm
EN10025 - S275 JR/S355 JR/ S355 J0/ SS400 UPN
Size : 50 mm to 400 mm EN10025 - S275 JR/S355
JR/ S355 J0/ SS400 PFC 100 mm x 50 mm to 430
mm x 100 mm

Type
Size range
Standard

Standard : EN10025 - S275 JR/S355 JR/ S355 J0/ SS400

MS Angles

Type
Size range
Standard
Equal 20 mm x 20 mm to 200 mm x 200 mm Standard :
EN10025 - S275 JR/S355 JR/ S355 J0/ SS400

Type
Size
Standard
Unequal
75 mm x 50 mm to 200 mm x 100 mm EN10025 -
S275 JR/S355 JR/ S355 J0/ SS400

MS Bars

Type
Size
Type
Size
Type
Size
Standard
Round Bars 6 mm to 100 mm Shafting/
Bright Bars 6 mm to 200 mm Square Bar
10 mm to 60 mm ASTM A36/ SS400/
S275 JR/ S355 JR



HR Sheets/ Coils & Chequered Sheets

Type	Sheets
Thickness	2.7 mm to 12 mm
Width	1219 mm x 2438 mm/ 1500 mm x 6000 mm
Type	Coils
Thickness	1.0 mm to 12 mm ,
Width	1219 mm/ 1500 mm/ 2000 mm Chequered
Type	Sheets 1.8 mm to 12 mm
Thickness	1219 mm x 2438 mm/ 1500 mm x 6000 mm
Width	S235/ S275/ ASTM A36/ SS400
Grade	

Aluminum Sheets/ Coils




Type	Plain Sheets
Thickness	0.4 mm to 10 mm 1219
Width	mm x 2438 mm
Alloy	AA1100/ AA1200/ AA3003/ AA5005
Type	Coils
Thickness	0.5 mm to 3 mm 1219
Width	mm/ 1500mm
Alloy	AA1100/ AA1200/ AA3003
Type	Chequered Sheets
Thickness	1.8 mm - 10 mm
Width	1219 mm x 2438 mm
Alloy	AA1100

Hot Rolled Steel Plates

Type	Hot Rolled
Thickness	Steel Plates
Width	4 mm to 60 mm
Length	2 M/ 2.5 M/ 3.05 M
Standard	6 M/ 12 M
Commercial	

Offshore

Boiler/ Pressure	ASTM A36/ S275 JR/ S355 JR/ S355 J0
Vessel	S355J2/ S355K2/ AP12H50
Shipbuilding	ASTM/ ASME 60/ 65/ 70 (Normalized/ NAC)
Grade	ABS : A/ B/ C/ AH32/ AH36/ EH36



Galvanized Coils & Sheets

Type	Regular/ Zero Spangle
Thickness	0.28 mm to 4.0 mm
Width	1219 mm/ 1500 mm
Coating	Z120/ Z180/ Z275

Type	Prepainted Steel Coil/ Sheet
Thickness	0.12 mm to 2.00 mm
Width	350 - 1250 mm 610/ 508 Hot - Dip Zinc Coated
Coil ID	EN10142/ EN10147/ EN10292/ JIS G3302/ ASTM A653
Type of Base Metal	DX51D+Z, DX52D+Z, DX53D+Z/ S280GD+Z, S350D+Z, S550GD+Z/ SGCC, SGCD, SGC340/ CS Type C, CS
Standard	Type A, CS Type
Steel Grade	B, FS Type A/ FS Type B, SS275, SS550, SS340 class 1

Stainless Steel

Type	Coils & Sheets 0.30 - 50 mm
Thickness	1219/ 1250/ 1500/ 2000 mm
Width Coil	508/ 610 304/ 316L/ 304L/
ID Grade	430/ 310S
Finishes	



Possibilities

How to choose and specify our gratings

Our gratings and stairtreads can be produced with any combination of the options given below. To correctly specify the type of gratings that you need, please choose one option from each section. Your selection should also consider the performance load tables shown on pages 15, 17, 19 and 21.



1 Bearing Bar Height (mm) - 20, 25, 30, 32, 35, 38, 40, 45, 50, 55, 60, 65, 70, 80, 90, 100

2 Bearing Bar Thickness (mm) - 2, 2.5, 3, 3.5, 4, 4.5, 5, 6, 7, 8, 9, 10

1 Twisted Square Cross Bar Diameter (mm) - 5, 6, 8



5 Bearing Bar Pitch (mm) - 25, 30, 33, 34, 35, 40, 41, 50

6 Cross Bar Pitch (mm)




Technical drawing of a stepped profile with dimensions. The profile is defined by the following dimensions (all in mm):

- Overall width: 900 ± 9
- Overall height: 17.9 ± 1
- Segment 1 (left): width 7.0 , height $5.0 \pm 2.10 \pm 1$
- Segment 2: width 1.60 ± 4 , height 4.8 ± 2
- Segment 3: width 5.0 ± 2 , height 1.6 ± 0.1
- Segment 4: width 5.9 , height 1.5 ± 1
- Segment 5: width 2.2 , height 5.9
- Segment 6: width 1.40 , height 5.9
- Segment 7: width 3.00 ± 3 , height 5.9
- Segment 8: width 3.00 ± 3 , height 5.9
- Segment 9: width 1 , height 2.5 , angle 68.2°
- Segment 10: width R_4 , height R_4
- Segment 11: width R_4 , height R_4
- Segment 12: width R_4 , height R_4
- Segment 13: width R_2 , height R_2
- Segment 14: width R_2 , height R_2
- Segment 15: width 1.6 , height 1.6



56 20 145



CORRUGATED SHEET

A corrugated sheet is a thin, lightweight building material characterized by a series of parallel ridges and grooves (waves) running along its length. This distinctive wavy or rippled profile, known as corrugation, gives the sheet exceptional strength and rigidity compared to a flat sheet of the same thickness.



Roll Formed - Z Purlins

Applications


Secondary support & Girts

Specification

* Hot Dip galvanized steel thickness 1.5 to 3.0 mm
roll formed purlin conforming to ASTM 653 grade
"D" (ss 340) zinc coated to G 90 (275 gm/m²)



Black steel thickness 1mm-3mm
Galvanize steel thickness 1mm-3mm
Length up to 15 M.L
Holes as per request for all aspects



Power: 10Kw

Metal Sheets:-

Material: Steel & Aluminium

Maximum sheet size: 2000x6000mm

Cut depth: 1mm - 30mm


Pipes:-

Size Range: 1" - 5"


Size Range: 33.4mm - 150mm

Cute Depth: 1mm - 6mm





Metal Buildings Accessories



Basic Data

TYPES OF PERFORATION

Rv round holes staggered pitch
Rg round holes square pitch Rpv round
holes deep staggered pitch Rpg round holes
deep square pitch Qg square holes square
pitch Qv square holes staggered pitch Lv slot
holes staggered pitch Lg slot holes square
pitch

Ss decorative holes

METAL COIL

Width: 1000 mm / 1250 mm / 1500 mm
Length: up to a weight of 5 tonnes

REGULAR STOCK ITEMS

We offer more than 600 types of perforated
metal sheets in the distribution warehouses in
Chrudim (Bohemia) and Prostějov (Moravia).
You can find examples of regular stock items on
page 7.

OTHER PROCESSING

In co-operation, we are able to provide of
material processing or surface treatment

- Hot dip galvanising
- Electro-galvanising
- Powder coating
- Painting

Eloxal coating, etc.

SHEET METAL THICKNESS

max 12 mm Mild steel: We are able to produce a wide range of per- Stainless steel: max 8 mm
Non-ferrous metals e. g. aluminium, cop-forated products. We recommend you send per, brass
and other materials such as PVC, a drawing or design. cardboard, paper can be perforated after
You can find examples of production possibilities on pages: 8, 9 and 10.

CUSTOM-MADE ORDERS

testing on a sample.

METAL SHEET FORMAT


Small format: 1000 x 2000 mm (w x l) Medium
format: 1250 x 2500 mm (wx l) Large format:
1500 x 3000 mm (wx l) It is possible to modify
the size of the for mat according to your
wishes or drawing sent to us.

PRODUCTION METHODS

Press cutting, laser-cutting, cutting, bending
and flattening

DELIVERY SERVICE

Goods are available in our distribut
warehouses in Riyadh Thanks to our own
delivery service, we are able to transport
your order within hours anywhere in Saudi
Arabia.



Perforation Examples

PER FORATED METAL SHEET

Rg round holes square pitch



$\phi = 4 \text{ mm}$

Rpv-round holes deep staggered pitch



$\phi = 4 \text{ mm}$

Rpg round holes deep square pitch



$\phi = 4 \text{ mm}$

Qg square holes square pitch



hole $5 \times 5 \text{ mm}$

Qv-square holes staggered pitch



hole $5 \times 5 \text{ mm}$

Lv-slot holes staggered pitch



hole $1 \times 20 \text{ mm}$

Lg slot holes square pitch



hole... mm

Ss decorative holes



Structured slot



Flower



Pyramid

Shot blasting directs a high speed stream of abrasive particles at metal, to clean, roughen or polish the surface

We guarantee that SA2.5 will be achieved. The maximum size that can be operated is 700mm*700mm*13m. And we provide flexibility in product types, shapes and sizes.



Certificate of Registration



This is to certify that the Information Security Management System of

ALABUO Trading Co.

3625 Ibn Al Aameed Street, Secondary No. 8902, Al Sulay District, Riyadh 14273, Kingdom of Saudi Arabia

is in accordance with the requirements of the following standard

ISO/IEC 27001:2022

(Information Security Management System)

SCOPE

Trading, stocking, and supply of industrial and construction steel raw materials, sandwich panels, and insulation materials, pipes, tubes, long products, flat products, stainless steel, galvanized steel, gratings, and related accessories including high-quality materials to diverse sectors

(SOA: SOA/IALA/Ver.1.0/Rev.00/Date:15-May-2025)

Certificate Number : 150925059616

Initial Registration Date : 15-Sep-2025

1st Surveillance Date : 15-Aug-2026

2nd Surveillance Date : 15-Aug-2027

Certificate Expiry Date : 14-Sep-2028

To verify certificate, visit at :

www.arscert.com
www.uafaccreditation.org
www.iafcertsearch.org

Issued by ARS Assessment Private Limited

Managing Director



UAF Address : 400, North Center Dr, STE 202, Norfolk, VA 23502, United States of America

This certificate remains the property of ARS and must be returned to ARS on Cancellation or Suspension of the certificate. Validity of the certificate is subject to successful completion of surveillance audits. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the Organisation on info@arscert.com

Certificate of Registration



This is to certify that the Quality Management System of

ALABUO Trading Co.

3625 Ibn Al Aameed Street, Secondary No. 8902, Al Sulay District, Riyadh 14273, Kingdom of Saudi Arabia

is in accordance with the requirements of the following standard

ISO 9001:2015

(Quality Management System)

SCOPE

Trading, stocking, and supply of industrial and construction steel raw materials, sandwich panels, and insulation materials, pipes, tubes, long products, flat products, stainless steel, galvanized steel, gratings, and related accessories including high-quality materials to diverse sectors

(IAF Code: 29)

Certificate Number : 150925019613

Initial Registration Date : 15-Sep-2025

1st Surveillance Date : 15-Aug-2026

2nd Surveillance Date : 15-Aug-2027

Certificate Expiry Date : 14-Sep-2028

To verify certificate, visit at :

www.arscert.com
www.uafaccreditation.org
www.iafcertsearch.org

Issued by ARS Assessment Private Limited

Managing Director



UAF Address : 400, North Center Dr, STE 202, Norfolk, VA 23502, United States of America

This certificate remains the property of ARS and must be returned to ARS on Cancellation or Suspension of the certificate. Validity of the certificate is subject to successful completion of surveillance audits. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the Organisation on info@arscert.com

Certificate of Registration



This is to certify that the Environmental Management System of

ALABUO Trading Co.

3625 Ibn Al Aameed Street, Secondary No. 8902, Al Sulay District, Riyadh 14273, Kingdom of Saudi Arabia

is in accordance with the requirements of the following standard

ISO 14001:2015

(Environmental Management System)

SCOPE

Trading, stocking, and supply of industrial and construction steel raw materials, sandwich panels, and insulation materials, pipes, tubes, long products, flat products, stainless steel, galvanized steel, gratings, and related accessories including high-quality materials to diverse sectors

(IAF Code: 29)

Certificate Number : 150925029614

Initial Registration Date : 15-Sep-2025

1st Surveillance Date : 15-Aug-2026

2nd Surveillance Date : 15-Aug-2027

Certificate Expiry Date : 14-Sep-2028

To verify certificate, visit at :

www.arscert.com
www.uafaccreditation.org
www.iafcertsearch.org

Issued by ARS Assessment Private Limited

Managing Director



UAF Address : 400, North Center Dr, STE 202, Norfolk, VA 23502, United States of America

This certificate remains the property of ARS and must be returned to ARS on Cancellation or Suspension of the certificate. Validity of the certificate is subject to successful completion of surveillance audits. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the Organisation on info@arscert.com

Certificate of Registration



This is to certify that the Occupational Health and Safety Management System of

ALABUO Trading Co.

3625 Ibn Al Aameed Street, Secondary No. 8902, Al Sulay District, Riyadh 14273, Kingdom of Saudi Arabia

is in accordance with the requirements of the following standard

ISO 45001:2018

(Occupational Health and Safety Management System)

SCOPE

Trading, stocking, and supply of industrial and construction steel raw materials, sandwich panels, and insulation materials, pipes, tubes, long products, flat products, stainless steel, galvanized steel, gratings, and related accessories including high-quality materials to diverse sectors

(IAF Code: 29)

Certificate Number : 150925039615

Initial Registration Date : 15-Sep-2025

1st Surveillance Date : 15-Aug-2026

2nd Surveillance Date : 15-Aug-2027

Certificate Expiry Date : 14-Sep-2028

To verify certificate, visit at :

www.arscert.com
www.uafaccreditation.org
www.iafcertsearch.org

Issued by ARS Assessment Private Limited

Managing Director



UAF Address : 400, North Center Dr, STE 202, Norfolk, VA 23502, United States of America

This certificate remains the property of ARS and must be returned to ARS on Cancellation or Suspension of the certificate. Validity of the certificate is subject to successful completion of surveillance audits. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the Organisation on info@arscert.com

حديد العبو ALABUO STEEL

Sales



+t oo hhi ot gt tt



@ e



General Administration



+ t oo no kkk kko i



5 e



e



alabuo
مجموعة العبو الصناعية
alabuo industrial group

شركة الخيام والمظلات المحدودة
TACO
Tents and Awnings Company Limited

شركة المشغولات والمباني المعدنية المحدودة
سبيسكو
Steel Building & Structure Co. Ltd. SBSCO

شركة الشهباء للإنشاءات المحدودة
AL SHAHBAAL - Shahba for construction co.Ltd

STH
STH HOLDING A.S.

مصنع الشهباء للصناعات الحديدية
AL - Shahba Steel Industries Factory

الشهباء
AL SHAHBA

ALABUO
TRADING CO.
شركة العبو التجارية

حديد العبو
ALABUO STEEL

شهباء